



ISSN 0973-7006



Reprinted from the

**Far East Journal of
Electronics and Communications
Volume 14, Number 2, 2015, pp 81-92**

**PLANTING CALENDAR FORECASTING SYSTEM
USING EVOLVING NEURAL NETWORK**

by

Fhira Nhita, Adiwijaya,

U. N. Wisesty and Izzatul Ummah



Pushpa Publishing House

Vijaya Niwas, 198 Mumfordganj
Allahabad 211002, INDIA

<http://pphmj.com/journals/fjec.htm>

fjec@pphmj.com & arun@pphmj.com

Information for Authors

Aims and Scope: The *Far East Journal of Electronics and Communications* is a peer-reviewed international journal, which publishes original research papers and critical survey articles covering the entire field of Electronics and Communications. Experimental papers are also published. *The FJEC is published in two volumes annually and each volume comprises of two issues appearing in March, June, September and December.*

Abstracting, Indexing and Reviews: Scopus, Global Impact Factor : 0.895, CrossRef DOIs databases, J-Gate Index, ProQuest, IndexCopernicus, EBSCOhost, Zentralblatt MATH, Ulrich's web, SCIRUS, AcademicKeys.

Submission of Manuscripts: Authors may submit their papers for consideration in the FJEC by the following modes:

1. **Online submission:** Please visit journal's homepage at <http://www.pphmj.com/journals/fjec.htm>
2. **Electronically:** At the e-mail address: fjec@pphmj.com or kkazad@pphmj.com
3. **Hard copies:** Papers in duplicate with a letter of submission at the address of the publisher.

The paper must be typed only on one side in double spacing with a generous margin all round. An effort is made to publish a paper duly recommended by a referee within a period of three months. One set of galley proofs of a paper will be sent to the author submitting the paper, unless requested otherwise, without the original manuscript, for corrections.

Abstract and References: Authors are requested to provide an abstract of not more than 250 words and keywords and phrases. References should be arranged in alphabetical order by the surname of the first author.

Page Charges and Reprints: Authors are requested to arrange page charges of their papers @ USD 40.00 per page for USA and Canada, and EUR 30.00 per page for rest of the world from their institutions/research grants, if any. However, for authors in India this charge is Rs. 800.00 per page. No extra charges for printing colour figures. Twenty-five reprints in print version and a copy in soft version are provided to the corresponding author ex-gratis. Additional sets of reprints may be ordered at the time of proof correction.

Copyright: It is assumed that the submitted manuscript has not been published and will not be simultaneously submitted or published elsewhere. By submitting a manuscript, the authors agree that the copyright for their articles is transferred to the Pushpa Publishing House, Allahabad, India, if and when, the paper is accepted for publication. The publisher cannot take the responsibility of any loss of manuscript. Therefore, authors are requested to maintain a copy at their end.

Subscription Information for 2015

Institutional Price for all countries except India

Electronic Subscription	€ 295.00	US\$ 395.00
Print Subscription includes Online Access	€ 345.00	US\$ 465.00

For Institutions. On seeking a license for volume(s) of the Far East Journal of Electronics and Communications, the facility to download and print the articles will be available through the institutional 9 digits IP address to be provided by the appropriate authority. The facility to download will continue till the end of the next calendar year from the last issue of the volume subscribed. For having continued facility to keep the download of the same subscribed volume for another two calendar years may be had on a considerable discounted rate.

Price in Indian Rs. (For Indian Institutions in India only)

Print Subscription Only	Rs. 6000.00
-------------------------	-------------

The subscription year runs from January 1, 2015 through December 31, 2015.

Information: The journals published by the "Pushpa Publishing House" are solely distributed by the "Vijaya Books and Journals Distributors".

Contact Person: Subscription Manager, Vijaya Books and Journals Distributors, Vijaya Niwas, 198 Mumfordganj, Allahabad 211002, India; sub@pphmj.com ; arun@pphmj.com

FAR EAST JOURNAL OF ELECTRONICS AND COMMUNICATIONS

Editorial Board

M. Atef, Egypt
Peter Han Joo Chong, Singapore
Kuo-Chung Chu, Taiwan
Ching-Linag Dai, Taiwan
Yuh-Shyan Hwang, Taiwan
N. Ch. Sriman Narayana Iyengar, India
Winai Jaikla, Thailand
Jau-Ji Jou, Taiwan
Tsai-Sheng Kao, Taiwan
Yiu-Wing Leung, Hong Kong
Arjuna Marzuki, Malaysia
Muhammad Rizwan Saleem, Pakistan
S. Saravanan, India
Mandeep Singh, Malaysia
S. Sivanantham, India
Yeong-Jeu Sun, Taiwan
Worapong Tangsrirat, Thailand
Bal S. Virdee, United Kingdom
Hung-Wei Wu, Taiwan
Renbiao Wu, China
Zhen-Guo Yang, China
Duanzheng Yao, China
Takahashi Yasuhiro, Japan
Sherali Zeadally, USA

Managing Editor
K. K. Azad (India)



Institutional Price List
Journal Menu

- ▶ Journal Home
- ▶ Editorial Board
- ▶ Guidelines for Authors
- ▶ Subscribe
- ▶ Content
- ▶ Publication Ethics and Publication Malpractice Statement

Content

- + Volume 16 (2016)
- + Special Volume (2016)
- + Volume 15 (2015)
- Volume 14 (2015)
 - ☰ Volume 14, Issue 2
Pg 81 - 159 (June 2015)
 - ☰ Volume 14, Issue 1
Pg 1 - 79 (March 2015)
- + Volume 13 (2014)
- + Volume 12 (2014)
- + Volume 11 (2013)
- + Volume 10 (2013)
- + Volume 9 (2012)
- + Volume 8 (2012)
- + Volume 7 (2011)
- + Volume 6 (2011)
- + Volume 5 (2010)
- + Volume 4 (2010)

Far East Journal of

Electronics and
Communications
**Volume 14,
Issue 2, Pages
81 - 159 (June
2015)**

Articles 1 - 7 of 7 [1]

**PLANTING CALENDAR
FORECASTING
SYSTEM USING
EVOLVING NEURAL
NETWORK**


by: Fhira Nhita,
Adiwijaya, U. N.
Wisesty and Izzatul
Ummah
Page: 81 - 92
Abstract |
References | Add to
my cart

**ACTIVE PARALLEL-
RESISTOR-INDUCTOR
WITH ELECTRONIC
CONTROLLABILITY
FOR ANALOG SIGNAL
PROCESSING**

by: Prungsak
Autthaphut
Page: 93 - 103
Abstract |
References | Add to
my cart

**A DYNAMIC LATCHED
COMPARATOR WITH
BUILT-IN OFFSET**

ISSN: 0973-7006



LATEST ISSUE

SUBMIT AN ARTICLE

SEARCH WITHIN JOURNALS

[+ Volume 3 \(2009\)](#)

[+ Volume 2 \(2008\)](#)

[+ Volume 1 \(2007\)](#)

CALIBRATION

by: Ji Cui, Sadahiro Tani, Kenji Ohara, Yusaku Hirai and Toshimasa Matsuoka
Page: 105 - 115
[Abstract](#) | [References](#) | [Add to my cart](#)

DYNAMIC MODELS OF UNMANNED ALL-TERRAIN VEHICLE

by: Surachai Panich
Page: 117 - 125
[Abstract](#) | [References](#) | [Add to my cart](#)

DESIGN AND ANALYSIS OF METAMATERIAL ANTENNA WITH EBG LOADING

by: B. T. P. Madhav, D. Naga Vaishnavi, G. Vanaja, G. Jayasree and S. Mounika
Page: 127 - 136
[Abstract](#) | [References](#) | [Add to my cart](#)

DEVELOPMENT OF ARM-EXOSKELETON SUIT FOR REHABILITATION

by: Surachai Panich
Page: 137 - 147
[Abstract](#) | [References](#) | [Add to my cart](#)

**NOVEL MINIATURED
WIDE BAND ANNULAR
SLOT MONOPOLE
ANTENNA**

by: P. Syam Sunder,
Sarat K. Kotamraju,
T. V. Ramakrishna,
B. T. P. Madhav, T.
Sravya Sruthi, P.
Vivek, J. Jaswanth
Kumar and M. Dileep
Page: 149 - 159

[Abstract](#) |

[References](#) | [Add to
my cart](#)

[BACK](#)

[Home](#) | [Journals](#) | [Books & Monographs](#) | [Institutional Price List](#) | [Refund Policy](#) |

This website is best viewed at 1024x768 or higher resolution with Microsoft Internet Explorer 6 or newer.



PLANTING CALENDAR FORECASTING SYSTEM USING EVOLVING NEURAL NETWORK

Fhira Nhita, Adiwijaya, U. N. Wisesty and Izzatul Ummah

School of Computing

Telkom University

Jl. Telekomunikasi No. 1

Indonesia

e-mail: fhiranhita@telkomuniversity.ac.id

adiwijaya@telkomuniversity.ac.id

untarinw@telkomuniversity.ac.id

izzatulummah@telkomuniversity.ac.id

Abstract

Weather forecast information, where the rainfall is crucial factor, is extremely needed in agriculture sector so the farmer can predict the beginning of growing season in the planting calendar. The planting calendar is required by Department of Agriculture to maximize the agricultural production. In this research, it has been conducted using evolving neural network (ENN) algorithm on forecasting system. The forecasting system is used by Department of Agriculture of Bandung Regency (Indonesia) to recommend the beginning of growing season for the farmers. The data used in the research is gained from Department of Agriculture and Indonesian Agency for Meteorology Climatology and Geophysics (BMKG) including monthly rainfall forecasting data from 2003-2012 in Soreang (Bandung Regency). The research can be successfully conducted because of rainfall forecasting application system remains best accuracy of 70%.

Received: December 12, 2014; Revised: January 23, 2015; Accepted: January 31, 2015

Keywords and phrases: evolving neural network, rainfall, agriculture, planting calendar.

1. Introduction

Weather forecast information is highly needed in most aspects in life especially for agriculture sector. In this sector, the information is used to determine the beginning of growing season of the plant. The information is required to minimize the risk of planting, so the farmers do not lose their capital. Moreover, Department of Agriculture of Bandung Regency (Indonesia) may also make the planting target and production target for their area. The plant growth is influenced by the weather [11] involving the rainfall which has the important role in agriculture. Therefore, weather forecast information is firstly needed to make planting calendar based on the plant characteristics. Soft computing (SC) is one of the methods in artificial intelligence that can be used to doing weather forecasting. SC consists of three basic algorithms, namely fuzzy systems, artificial neural network (ANN), and evolutionary algorithms (EAs). ANN algorithm is very widely used for prediction problems. In [3], ANN models are used for river flow forecasting gives better accuracy than the auto-regression time series models. Meanwhile, feedforward neural network successfully doing forecasting of groundwater levels in Venice Lagoon, Italy [12]. Next, Adiwijaya et al. present a weather data forecasting by using ANN algorithm [1, 2]. It had raised analysis some parameters of ANN such as determining input numbers, hidden layer numbers and hidden neuron numbers. However, it has not provided an optimum result. One algorithm that can be used to overcome the problems of ANN is by doing optimization using evolutionary algorithms. This algorithm is often called the *evolving neural network (ENN) algorithm*.

Genetic algorithm can optimize fuzzy algorithm studied on soft computing [4]. Hence, this research has done the optimization of neural network algorithm using genetic algorithm to obtain optimal ANN architecture and weight to be the model of rainfall forecasting for the next 12 month, then the result will be used as the planting calendar for the plants involving rice, potato, and corn. The rainfall forecasting data has been gained from Indonesian agency for meteorology climatology and geophysics (BMKG) and Department of Agriculture of Bandung Regency from 2003 to

2012. The planting calendar is used as the information for Department of Agriculture of Bandung Regency to forecast proper growing season functioned to minimize crop failure. It is also made for 3 types of plant including rice, potato, and corn since they are the primary plant produced by Department of Agriculture of Bandung Regency. In addition, its potato has contributed a 20% national production.

The difference between this research to the previous research [2, 4, 5, 9] is the type of data and algorithms used. In previous research, forecasting rainfall conducted based on the data of rainfall, temperature, humidity, duration of solar radiation and wind speed in the area of Kemayoran, Jakarta. In these studies, forecasting conducted to the using some variation of the algorithm on the SC as evolving fuzzy algorithm [4], neural network optimized using the line search technique [2], evolving neural network and architectural modifications [5, 9]. Meanwhile, in this research, rainfall forecasting conducted based on rainfall data earlier in Bandung Regency using ENN. Before the implementation of ANN, the preprocessing conducted to the using the moving average algorithm. In addition, the contents of which are optimized GA chromosome is different to the publication [5], because in this study the optimization of the number of input rainfall data. Furthermore, the results of rainfall forecasting is used to create a planting calendar for the next twelve months in correspond to the characteristics of the plants.

2. Research Method

2.1. Evolving neural network

The primary issues on artificial neural network (ANN) are determining the architecture of node input, hidden layer numbers, hidden neuron numbers, and optimal weight. It can be solved, one of the ways, by hybrid process between ANN algorithm and evolutionary algorithm's (EAs) which is best known by evolving neural network (ENN) [5-7, 8-10]. One of EAs commonly used is genetic algorithm (GA). There are various architectures on ANN algorithm [9], one of them is multilayer perceptron (MLP) where there is the interconnection of each neuron.

In evolving neural network (ENN), ANN will be optimized by GA in order to find out the connection and optimal weight represented by chromosome or individual in GA. This general scheme is started by chromosome representation then will be executed as the code of the architecture and weight for ANN. Those chromosomes are conducting evolution process using GA operators. Thus, in ENN, there will be only architectural optimization, weight optimization, or both of them.

The best chromosome has been gained from the evaluation process in its generation using fitness score where the solution can be accepted or not (individual). Its score will be the parameter in reaching the optimal score of evolving neural network. Fitness score calculation uses feedforward propagation of ANN architecture gained from genetic algorithm. In this type of propagation the score will be calculated using mean absolute percentage error (MAPE) as follows [8]. Besides MAPE, the fitness value can also be calculated using the mean absolute error (MAE) or mean squared error (MSE) [10].

$$Fitness = \frac{1}{MAPE},$$

where

$$MAPE = \left(\frac{1}{n} \sum \frac{|actual\ data - prediction\ data|}{|actual\ data|} \right) * 100\%,$$

and n is the number of data.

2.2. Moving average algorithm

One important part of the preprocessing phase is data smoothing. There are several algorithms that can be used for smoothing process, such as local regression smoothing and exponential smoothing [10]. In the proposed scheme, the data smoothing process is provided by using the moving average. Moving average algorithm is used to have data smoothing process using the equation as follows [8]:

- Moving average 1 (MA 1):

$$S_t = \frac{A_{t-2} + (2 * A_{t-1}) + (4 * A_t) + (2 * A_{t+1}) + A_{t+2}}{10}.$$

- Moving average 2 (MA 2):

$$S_t = \frac{(2 * A_{t-1}) + (6 * A_t) + (2 * A_{t+1})}{10},$$

where t = the period; S_t = smoothing result; A_t = actual value.

2.3. Plants and rainfall relationship

Plant growth is closely related to weather. The factors of weather influencing the plant are temperature, water, sun radiation, and wind [5]. Every plant needs the different supply of water especially for those which require lots of water so it is assisted by the rain. For instance, rice involves high level of rainfall intensity amounts for its irrigation system. The table below shows the harvesting seasons of rice, potato and corn and their rainfall requirements.

Table 1. Rainfall requirements of plants [5]

Plants	Harvesting seasons	Rainfall Requirements
Rice	around 110-115 days after growing season	200 mm/ month
Corn	around 86-96 days after growing season	85-200 mm/month and must be smooth
Potato	around 90-180 days, it depends on its varieties	<p>Potato's growing season is around 3-6 months depending on its varieties represented by the details of rainfall requirements as follows:</p> <ul style="list-style-type: none"> • 1st Month: 130-200 mm per month • 2nd Month: 100-120 mm per month • 3rd Month: 60-70 mm per month • Last month before harvesting it does not need rain

2.4. Description of forecasting system

The issue raised in this research is how to forecast the rainfall considering to the previous data of rainfall. Forecasting system built in this research is the system in which the rainfall can be forecasted further. Figure 1 presents block diagram of forecasting system.




Figure 1. Block diagram of system.

From Figure 1, the data of rainfall is firstly processed using moving average algorithm. Furthermore, it goes to learning process by ENN algorithm. Then Figure 2 serves the learning process of ENN.




Figure 2. ENN learning process.

The best individual is the chromosome which contains ANN architecture and optimal weight. This chromosome design will be crucial since it will be the ENN solution. The following is chromosome design of GA to optimize ANN architecture and weight:

Number of input nodes	Number of hidden layers (max 3 layers)	Number of hidden neurons (max 30 neurons)	Weights
-----------------------	---	--	---------

Figure 3. GA chromosome design in ENN.

Learning process results in the best chromosome that will be the model to forecast further monthly rainfall.

2.5. The data used and moving average implementation

The data used in this research is the monthly rainfall data from BMKG from 2003 to 2012 and Department of Agriculture of Bandung Regency from 2003 to 2012. The following is the data samples of monthly rainfall used.

Table 2. Data samples of BMKG’s monthly rainfall (in millimeter)

Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
2003	113,7	292,0	291,8	209,8	113,0	33,8	7,8	58,2	80,3	329,6	156,6	218,2
2004	291,2	136,5	222,8	242,3	158,7	49,0	10,0	1,0	143,1	43,5	217,9	264,4
2005	346,4	316,6	229,0	115,2	105,4	212,6	46,5	60,9	78,8	217,8	181,4	121,0

Based on the system design on Figure 1, there will be the preprocessing of rainfall data using moving average. Table 3 shows the data samples of rainfall data used and the comparison of actual data pattern with the data of moving average.

The data processed by moving average will step learning process by observation parameter which can be seen in Table 4.

Table 3. Sample of preprocessing data result

Year	Month	Actual Data (mm)	MA1 (mm)	MA2 (mm)
2003	Jan	113,7	-	-
2003	Feb	292,0	-	256,3
2003	Mar	291,8	239,75	275,4
2003	Apr	209,8	197,46	206,8
2003	May	113,0	123,88	116,5
2003	Jun	33,8	64,48	44,4
2003	Jul	7,8	40,85	23,1
2003	Aus	58,2	77,24	52,5
2003	Sep	80,3	126,12	125,7
2003	Oct	329,6	206,86	245,1
2003	Nov	156,6	209,35	203,5
2003	Dec	218,2	223,45	220,5
2004	Jan	291,2	225,36	245,7
2004	Feb	136,5	203,45	184,7

Table 4. GA parameters

Parameters	Value
Numbers of individual	5000
Numbers of population	[5 50 100]
Probability of crossover	[0.1 0.3 0.5 0.7 0.9]
Probability of mutation	[0.05 0.1 0.2 0.3 0.4]

3. Results and Analysis

3.1. Planting calendar forecasting system

To forecast the rainfall of the next 12 months, the model remains the best chromosome gained from the result of ENN learning process. Then, the

result will be used as the planting calendar. Initially, the forecasting system is designed based on rainfall data in the range of 2003-2012 in order to be compared with the data of BMKG is available only up to 2012. Furthermore, the system that has been built can be used for modeling forecasting in the following years.

According to the discussion result with the member of Department of Agriculture, rainfall forecasting is extremely needed for the rainfed irrigation system. In this system, the beginning of growing season of rice is held from October to March while other plants are from April to September. Due to that, the planting patterns involve potato/corn, then rice.

Based on the GA parameter experiments in Table 4, MAPE and accuracy has been obtained and they can be seen in Table 5 below.

Table 5. Experiment results


Data	MAPE	Accuracy
Data from BMKG	26,90%	73,10%
Data from Department of Agriculture	24,36%	75,64%

On the basis of Table 5, it can be inferred that learning process results involving the data from BMKG compared to the data from Department of Agriculture has the difference accuracy around 2,54% which remains a low gap. Therefore, the designing future forecasting model can be created by Department of Agriculture using its own rainfall data as the input for the system. Table 6 presents the best chromosome, gained when GA parameter lies in the size of 200 chromosome population that is equal to the data of BMKG and of Department of Agriculture. It remains also for the best model in mutation opportunities which gain 0.05.

Table 6. GA parameters from the best chromosome

Parameters	Data from BMKG	Data from Department of Agriculture
Number of Population	200	200
Number of Gen per Variable	90	50
Crossover Probability	0.1	0.3
Mutation Probability	0.05	0.05
Number of input nodes	4	4
Number of hidden layer	1	1
Number of hidden neurons	1	1

The best chromosome showed in Table 6 has 4 nodes as the input where the forecasting process for month + 1 ($M + 1$) requires data from 4 months ago ($M-3$, $M-2$, $M-1$, and M). The learning process data of Department of Agriculture and BMKG serve the similar node numbers, hidden layer numbers, and neuron numbers. One of the outputs of the calendar for the beginning of growing season involving rice, potato, and corn made from rainfall forecasting is presented in Figure 4 as follows:

**Figure 4.** Sample of planting calendar.

Furthermore, complexity analysis of ENN algorithm in Table 7 can be used for the further system development.

Table 7 shows the highest result of asymptotic complexity which lies in Agobservation module. There will be module calling process to rank the linear fitness, selection of parents, recombination or crossovers, and binary mutation for each chromosome. The process can be accelerated by dividing the subprocess into several computers to be parallel executed such as using embarrassingly parallel.

Table 7. Complexity analysis

Function	Algorithms Complexity	Values of Complexity
MutationBiner	$T(n) = \text{JumGen}$	$T(n) \in O(n)$
CrossoverBiner	$T(n) = \text{TotGen}$	$T(n) \in O(n)$
RouletteWheel	$T(n) = \text{LinearFitness} + \text{UkPop}$	$T(n) \in O(n)$
Parent Selection	$T(n) = \text{length}(x) * T(n)\text{RouletteWheel} + \text{length}(x)$	$T(n) \in O(n^2)$
Agobservation	$T(n) = \text{length}(\text{ObUkPop}) * \text{length}(\text{ObGenPerVar}) * \text{length}(\text{ObProbCrossover}) * \text{length}(\text{ObPmutation}) * \text{JumObs} * \text{MaxG} * (\text{UkPop} + \text{length}(\text{MatingPool}) + \text{UkPop})$	$T(n) \in O(n^7)$
AGstandar2D	$T(n) = \text{MaxG} * (\text{UkPop} + \text{length}(\text{MatingPool}) + \text{UkPop})$	$T(n) \in O(n^2)$
DecodingChromosome	$T(n) = \text{GenPerVar} + (n\text{Var} * \text{GenPerVar}) + 3 * n\text{Neuron}$	$T(n) \in O(n^2)$
EvaluateIndividual	$T(n) = \text{DataSetRainfallInput} * (3 * n\text{Neuron} + \text{Joneuron} + \text{length}(\text{Error}))$	$T(n) \in O(n^2)$
InisializationPopulation	$T(n) = 1$	$T(n) \in O(1)$
LinearFitnessRanking	$T(n) = \text{UkPop}$	$T(n) \in O(n)$
MovingAverage	$T(n) = \text{length}(\text{data})$	$T(n) \in O(n)$

4. Conclusion

Rainfall forecasting system using ENN can result more than 75% accuracy represented by the data from Department of Agriculture of Bandung Regency which shows the different accuracy about 2,54% compared to the data from BMKG. The forecasting is used for the calendar of the beginning of growing season involving rice, potato, and corn based on the rainfall requirements of each plant.

References

- [1] Adiwijaya, U. N. Wisesty, T. A. B. Wirayuda, Z. K. A. Baizal and U. Haryoko, An improvement of backpropagation performance by using conjugate gradient on forecasting of air temperature and humidity in Indonesia, Far East J. Math. Sci. (FJMS) 1 (2013), 57-67.
- [2] Adiwijaya, U. N. Wisesty and F. Nhita, Study of line search techniques on the modified backpropagation for forecasting of weather data in Indonesia, Far East J. Math. Sci. (FJMS) 86(2) (2014), 139-148.

- [3] C. T. Cheng, K. Chau, Y. Sun and J. Lin, Long-term prediction of discharges in Manwan reservoir using artificial neural network models, *Lecture Notes in Computer Science* 3498 (2005), 1040-1045.
- [4] F. Nhita and Adiwijaya, A rainfall forecasting using fuzzy system based on genetic algorithm, *International Conference of Information and Communication Technology (ICoICT)*, Bandung, 2013, pp. 42-45.
- [5] F. Nhita, Adiwijaya and U. N. Wisesty, A forecasting of weather data in Indonesia using evolving neural networkbased on genetic algorithm, *The Second International Conference on Technological Advances in Electrical, Electronics and Computer Engineering (TAEECE)*, Kuala Lumpur, 2014, pp. 78-82.
- [6] Juan Peralta, Xiaodong Li, German Gutierrez and Araceli Sanchis, Time series forecasting by evolving artificial neural networks using genetic algorithms and differential evolution, *WCCI 2010 IEEE World Congress on Computational Intelligence*, Barcelona, 2010, pp. 3999-4006.
- [7] Kartasapoetra and Ance Gunarsih, *Klimatologi Pengaruh Iklimterhadap Tanah dan Tanaman*, Bumi Aksara, Jakarta, 2004.
- [8] R. Rismala, T. H. Liong and A. Ardiyanti, Prediction of malaria incidence in Banggai regency using evolving neural network, *International Conference on Technology, Informatics, Management, Engineering and Environment (TIME-E)*, Bandung, 2013, pp. 89-94.
- [9] Septian Nurcahyo, F. Nhita and Adiwijaya, Rainfall prediction in Kemayoran Jakarta using hybrid genetic algorithm (GA) and partially connected feedforward neural network (PCFNN), *International Conference of Information and Communication Technology (ICoICT)*, Bandung, 2014, pp. 166-171.
- [10] M. Spyros, C. Steven and J. Rob, *Forecasting Methods and Applications*, John Willey & Sons, Inc. Printed in the United States of America, 1998.
- [11] Yung-Hsiang Chen and Fi-John Chang, Evolutionary artificial neural networks for hydrological systems forecasting, *J. Hydrology* 367 (2009), 125-137.
- [12] R. Taormina, K. W. Chaua and R. Sethib, Artificial neural network simulation of hourlygroundwater levels in a coastal aquifer system of the Venice lagoon, *Engineering Applications of Artificial Intelligence* 25(8) (2012), 1670-1676.

OUR PUBLICATIONS

1. Advanced Studies in Artificial Intelligence
2. Advances and Applications in Discrete Mathematics (GIF : 0.378)
3. Advances and Applications in Fluid Mechanics (GIF : 0.689 ; SCOPUS)
4. Advances and Applications in Statistics (GIF : 0.914)
5. Advances in Computer Science and Engineering (GIF : 0.705)
6. Advances in Differential Equations and Control Processes (GIF : 0.861)
7. Advances in Fuzzy Sets and Systems (GIF : 0.944)
8. Current Development in Oceanography (GIF : 0.762)
9. Far East Journal of Applied Mathematics (GIF : 0.945)
10. Far East Journal of Dynamical Systems (GIF : 0.914)
11. Far East Journal of Electronics and Communications (GIF : 0.895 ; SCOPUS)
12. Far East Journal of Mathematical Education (GIF : 0.847)
13. Far East Journal of Mathematical Sciences (FJMS) (GIF : 0.835 ; SCOPUS)
14. Far East Journal of Theoretical Statistics (GIF : 0.879)
15. International Journal of Functional Analysis, Operator Theory and Applications (GIF : 0.745)
16. International Journal of Materials Engineering and Technology (GIF : 1.012)
17. International Journal of Numerical Methods and Applications (GIF : 0.798)
18. International Journal of Nutrition and Dietetics
19. JP Journal of Algebra, Number Theory & Applications (GIF : 0.681 ; SCOPUS)
20. JP Journal of Biostatistics (GIF : 0.745)
21. JP Journal of Fixed Point Theory and Applications (GIF : 0.624)
22. JP Journal of Geometry and Topology (GIF : 0.725 ; SCOPUS)
23. JP Journal of Heat and Mass Transfer (GIF : 0.604 ; SCOPUS)
24. Surveys in Mathematics and Mathematical Sciences (GIF : 0.714)
25. Universal Journal of Mathematics and Mathematical Sciences (GIF : 0.745)

New Journals From 2015

26. Advances and Applications in Software Engineering
27. Far East Journal of Probability Theory and Statistics
28. Journal of Advanced Studies in Telecommunications
29. Universal Journal of Applied Physics and Technology
30. Universal Journal of Economic and Business Management
31. Universal Journal of Electrical Engineering and Informatics
32. Universal Journal of Mechanical Sciences and Technology

Pushpa Publishing House, Vijaya Niwas, 198 Mumfordganj, Allahabad 211002, India

arun@pphmj.com

www.pphmj.com