



The world's largest technical professional organization dedicated to advancing technology for the benefit of humanity

› Contact & Support

2013 Second International Conference on Informatics & Applications (ICIA 2013)

IEEE sponsors:

- Poland Section

Other sponsors:

- Society of Digital Information and Wireless Communications
- Technical University of Lodz, Poland

Digital Information, Computers, Software, Networking, Web applications

◆ Conference Details

Dates	23 Sep - 25 Sep 2013
Location	Technical University of Lodz skorupki 10/12 Lodz, Poland
Web site	› sdiwc.net/conferences/2013/icia2013
Contact	Jacek Stando skorupki 10/12 Lodz Poland 90-924 +605618621 icia@sdiwc.net
Conference #	30808
Attendance	70
Publications	Download conference papers from IEEE Xplore

Call for Papers for Conference Authors

Find details for paper and abstract submission.

› [View call for papers](#)

Abstract submission deadline: 05 Aug 2013

Final submission deadline: 15 Oct 2012

Notification of acceptance date: 05 Sep 2013

Features

- Tutorials

› [Back to search results](#)

Please see the [conference Web site](#) for full details.



Pages

- [Home](#)
- [Important Dates](#)
- [Paper Submission](#)
- [Camera Ready](#)
- [Program Committees](#)
- [Paper Review System](#)
- [Tentative Schedule](#)
- [Venue Map](#)
- [Become a Reviewer](#)
- [Registration](#)
- [Keynote Speakers](#)
- [Sponsors](#)
- [Attend the conference](#)
- [Accommodation](#)
- [Travel Information](#)
- [Organize a Special Session](#)
- [Special Sessions](#)
- [Organize a Workshop](#)
- [Workshops](#)
- [Download Poster](#)
- [Contact Us](#)
- [Other Conferences](#)
- [ICIA 2012](#)
- [SDIWC](#)

Downloads

- [Download Poster](#)

Program Committees

Like Tweet

General Chairs

Jacek Stando, Lodz University of Technology, Poland

Yoshiro Imai, Kagawa University, Japan

Organization Chair

Konrad Szumigaj, Lodz University of Technology, Poland

Program Chairs

Dorota Krawczyk-Stando, Lodz University of Technology, Poland

Fadhilah Ahmad, University Sultan Zainal Abidin, Malaysia

Juszczak Stanislaw, University of Silesia, Poland

Publicity Chair

Mohammad V. Malakooti, Islamic Azad University (IAU), Dubai

Technical Program Chair

Jan Platos, VSB-Technical University of Ostrava, Czech Republic

Publication Chairs

Ezendu Ariwa, London Metropolitan University, United Kingdom

Bartek Sakowicz, Lodz University of Technology, Poland

Jan Guncaga, Catholic University in Ruzomberok, Slovakia

Grzegorz Kusztelak, Lodz University of Technology, Poland

Program Co-Chairs

Katarzyna Winkowska-Nowak, Floryda Atlantic University, USA

Witek Walas, Lodz University of Technology, Poland

Steering Committee

Anita Dabrowicz-Tlalka, Technical University of Gdask, Poland

Gertruda Gwozdz-Lukawska, Lodz University of Technology, Poland

Grzegorz Kusztelak, Akademia Ignatianum Krakow, Poland

Krzysztof Kisiel, Lodz University of Technology, Poland

Ireneusz Krech, Pedagogical University of Cracow, Poland

Janka Majherova, Catholic University in Ruzomberok, Slovakia

Iwona Staniec, Lodz University of Technology, Poland

International Program Committee

Ali Sher, American University of Ras Al Khaimah, UAE

Altaf Mukati, Bahria University, Pakistan

Andre Leon S. Gradvohl, State University of Campinas, Brazil

Aniruddha Bhattacharjya, Amrita Vishwa VidyaPeetham, India

Azizah Abd Manaf, Universiti Teknologi Malaysia, Malaysia

D. B. Karron, Computer aided surgery and informatics, USA

Duc T. Pham, University of Birmingham, UK

Engku Fadzli Hasan Syed Abdullah, University Sultan Zainal Abidin, Malaysia

E.George Dharma Prakash Raj, Bharathidasan University, India

Eliamani Sedoyeka, The Institute of Finance Management, Tanzania

Fatma Susilawati Mohamad, University Sultan Zainal Abidin, Malaysia

Fouzi Harrag, UFAS University, Algeria

Genge Bela, University of Targu Mures, Romania

George B. Rinard, Frostburg State University, USA

Guo Bin, Institute Telecom & Management SudParis, France
Hamma Tadjine, IAV GmbH, Germany
Hocine Cherifi, Universite de Bourgogne, France
Jose Filho, University of Grenoble, France
Juan Martinez, Gran Mariscal de Ayacucho University, Venezuela
Khaled A. Mahdi, Kuwait University, Kuwait
Ladislav Burita, University of Defence, Czech Republic
Maitham Safar, Kuwait University, Kuwait
Majid Haghparast, Islamic Azad University, Shahre-Rey Branch, Iran
Martin Dudziak, Stratford University, USA
Massudi Mahmuddin, Universiti Utara Malaysia, Malaysia
Mazdak Zamani, Universiti Teknologi Malaysia, Malaysia.
Mirel Cosulschi, University of Craiova, Romania
Monica Vladoiu, PG University of Ploiesti, Romania
Nan Zhang, George Washington University, USA
Noraziah Ahmad, Universiti Malaysia Pahang, Malaysia
Pasquale De Meo, University of Applied Sciences of Porto, Italy
Pasquina Campanella, University of Bari Aldo Moro, Italy
Paulino Leite da Silva, ISCAP-IPP University, Portugal
Ritesh Chugh, CQ University Melbourne, Australia
Santoso Wibowo, Central Queensland University, Australia
Syarilla Iryani Ahmad Saany, University Sultan Zainal Abidin, Malaysia
Talib Mohammad, Bahir Dar University, Ethiopia
Viacheslav Wolfengagen, JurInfoR-MSU Institute, Russia
Waralak V. Siricharoen, University of the Thai Chamber of Commerce, Thailand
Wojciech Zabierowski, Lodz University of Technology, Poland
Zarina Mohamad, University Sultan Zainal Abidin, Malaysia
Zanifa Omary, Dublin Institute of Technology, Ireland
Zuqing Zhu, University of Science and Technology of China, China

Reviewers

Somdip Dey, St. Xavier's College [Autonomous] Kolkata, India
Vivek Deshpande, MIT College of Engineering, India
Isamu Shioya, Hosei University, Japan
Hernani Costa, CISUC, University of Coimbra, Portugal
Muhammad Shuaib Qureshi, King Abdul Aziz University, Saudi Arabia
Nikolai Stoianov, Defense Institute, Bulgaria
Tee Sim Hui, Multimedia University, Malaysia
Chandrashekhar Meshram, Shri Shankaracharya Engineering College, India
J. Ramkumar, VLB Janakiammal College of Arts & Science, India
Mohd Faizal Omar, Universiti Utara Malaysia, Malaysia
Zhefu Shi, Microsoft, United States
Chetankumar Shetty, ExperInn Research, India
Alaa Harif, University of Baghdad, Iraq
Subhash Chander Dubey, Govt. College of Engg & Tech, India
Farhad Soleimani Gharehchopogh, Islamic Azad University, Iran
Muhammad Naufal Bin Mansor, University Malaysia Perlis, Malaysia
Emsaieb Geepalla, University of Birmingham, United Kingdom
Rana Mukherji, The ICAFI University, India
Alireza Souri, University College of Nabi Akram, Iran
S.Bhuvaneswari, Pondicherry University, India
Chandresh Chhatlani, JRN Rajasthan Vidyapeeth University, India
Ajay Bhushan, Galgotias College of Engineering and Technology, India
Kalum Udagepola, King Abdulaziz University, Saudi Arabia
Santoso Wibowo, Central Queensland University, Australia
Neetesh Saxena, Indian Institute of Technology, India
Dineshkumar Gandhi, IBM Career Education, India

Jaya Thomas, Indian Institute of Technology Indore, India
Mutaz Beraka, King Saud University, Saudi Arabia
Aslina Saad, Universiti Pendidikan Sultan Idris, Malaysia
Zeeshan Ahmed, University of Wuerzburg, Germany
Manish Anand, Salesforce, United States
Rozlina Mohamed, Universiti Malaysia Pahang (UMP), Malaysia
Indrajit Saha, Jadavpur University, India
Aw Yoke Cheng, Asia Pacific University of Technology and Innovation, Malaysia
Mijal Mistry, Sardar Patel University, India
Pasquina Campanella, University of Bari Aldo Moro, Italy
Sefiu Taiwo Oloruntoyin, Ladoko Akintola University of Technology, Nigeria
Yashar Monfared, Shahre-rey Branch, Islamic Azad University, Iran
Arif Sari, European University of Lefke, Cyprus
Shiv Sarangdevot, Janardan Rai Nagar Rajasthan Vidyapeeth University, India
Arash Salehpour, Islamic Azad University, Iran
Leon Andretti Abdillah, Bina Darma University, Indonesia
Marek Rychly, Brno University of Technology, Czech Republic
Muhammad Alam, Portugal
Nadir Bouchama, CERIST Research Center, Algeria
Imran Jattala, Horizon Technologies, Pakistan
Vishwajit Barbudhe, Agnihotri College of Engineering, India
Varadala Sridhar, Vidya Jyothi Institute of Technology, India
Rashmi N, BMS Institute of Technology, India
Hassen Alsafi, King Fahd University of Petroleum and Minerals, Saudi Arabia
Narasimha Rashmi, BMS Institute of Technology, India
Arif Ur Rahman, University of Porto, Portugal
Ivan Simecek, Czech Technical University, Czech Republic
Mauricio Silveira, Federal University of ABC, Brazil
Yousef Abuzir, AL-Quds Open University, Palestine
Chuanjun He, The Mathworks, Inc, USA
Manuj Darbari, BBD University, India
Fabrizio Amarilli, Fondazione Politecnico di Milano, Italy
Hossein Jond, Karadeniz Technical University, Turkey
Mohd Nizam Omar, Universiti Utara Malaysia, Malaysia
Yana Hassim, Universiti Tun Hussein Onn Malaysia (UTHM), Malaysia
Aissa Boudjella, Al Khawarizmi International College, UAE
Murtaza Rizvi, National Institute of Technical Teachers' Training and Research, India
Hatem Haddad, Sousse University, Tunisia
Ramadan Elaïess, University of Benghazi, Libya
Murtadha Aldeer, Ministry of Communications, Iraq
Safwan Hussein, University Technology Mara (UITM), Malaysia
Heba Hafez, Sadat Academy for Management Sciences, Egypt
Lei Dou, University of California, USA
Samah Ghanem, University of Porto, Portugal
Munnujahan Ara, University of Porto, Portugal
Naser Ezzati, Polytechnique Montreal, Canada
Juris Rats, Rix Technology, Latvia
Alireza Hajimirsadeghi, University of New South Wales, Australia
Hazra Imran, Athabasca University, Canada
Rahul Kosarwal, OAARs CORP, India
Arshad Mansoor, Pakistan Aeronautical Complex, Pakistan
Roma Chauhan, IILM- GSM, India
Syed Umair Arif, FUUAST, Pakistan

Access provided by:
UNIVERSITAS TELKOM
Sign Out

- BROWSE**
- MY SETTINGS
- GET HELP
- WHAT CAN I ACCESS?

Enter Search Term

Search

- Basic Search
- Author Search
- Publication Search

Advanced Search | Other Search Options

Browse Conference Publications > Informatics and Applications (...)

Informatics and Applications (ICIA),2013 Second International Conference on



Date 23-25 Sept. 2013

Filter Results

Search within results:
 Search

AUTHOR

Search for Author

- Mauricio Silveira (6)
- Robinson G. Caputo (5)
- Gustavo V. Figueiredo (3)
- Pei-Jun Lee (2)
- Jongpil Jeong (2)
- Rafael G. Rossi (2)
- Merley S. Conrado (2)
- Gustavo Figueiredo (2)
- Xin Wang (1)
- Wen-June Wang (1)
- Jaeyoung Choi (1)
- M. Nordin (1)
- Won-Tae Kim (1)
- Tao Guo (1)
- Zhao Yong (1)
- Yi-Ming Chung (1)
- Yu Tian (1)
- Qiang Wei (1)
- Jongsun Park (1)
- Gustavo E. A. P. A. Batista (1)
- Marcin Sydow (1)
- Shun Hattori (1)
- Marghny H. Mohamed (1)
- Faouzi Bouani (1)
- Dirk Tetzlaff (1)

AFFILIATION

Search for Affiliation

- Pulse Perfect Sci. & Technol., Geneva, IL, USA (5)
- Grad. Sch. of Inf. & Commun., Sungkyunkwan Univ., Seoul,

Proceedings Available

The proceedings of this conference will be available for purchase through Curran Associates.

Informatics and Applications (ICIA),2013 Second International

South Korea (2)

- King Saud Univ., Riyadh, Saudi Arabia (1)
- Coll. of Comput. & Inf. Sci., King Saud Univ., Riyadh, Saudi Arabia (1)
- Dept. of Comput. Eng., Chulalongkorn Univ., Bangkok, Thailand (1)
- Dept. of Appl. Inf., Univ. of Macedonia, Thessaloniki, Greece (1)
- Inst. of Electron. & Comput. Sci., Riga, Latvia (1)
- Dept. of Electr. Eng., Nat. Central Univ., Jhongli, Taiwan (1)
- Sch. of Econ. & Manage., Beijing Univ. of Posts & Telecommun., Beijing, China (1)
- Dept. of Telecommun. & Media Inf., Budapest Univ. of Technol. & Econ., Budapest, Hungary (1)
- Dept. of Electr. Eng., Nat. Chi Nan Univ., Nantou, Taiwan (1)
- Fac. of Inf. Technol., Brno Univ. of Technol., Brno, Czech Republic(1)
- Dept. of Inf. Syst., Assiut Univ., Assiut, Egypt (1)
- Nat. Univ. of Sci. & Technol., Islamabad, Pakistan (1)
- Inst. of Telecommun., Univ. of Technol. & Life Sci., Bydgoszcz, Poland (1)
- Dept. of Comput. Eng., Istanbul Tech. Univ., Istanbul, Turkey (1)
- Comput. & Eng. Manage., Assumption Univ., Bangkok, Thailand (1)
- Inf. Technol. Dept., Univ. Utara Malaysia, Sintok, Malaysia (1)
- Dept. of Comput. Software & Eng., Univ. of Sci. & Technol., Daejeon, South Korea (1)
- Dept. of Electr. Eng., Shanghai Jiaotong Univ., Shanghai, China(1)
- Inst. of Autom. Control, Silesian Univ. of Technol., Gliwice, Poland(1)
- Comput. Eng. Dept., Istanbul Univ., Istanbul, Turkey (1)
- Adv. Inf. Sch., Univ. Teknol. Malaysia, Kuala Lumpur, Malaysia (1)
- Dipt. di Ing. Elettr., Elettron. ed Inf., Univ. degli Studi di Catania, Catania, Italy (1)
- Dept. of Inf., Silesian Univ. in Opava, Karvina, Czech Republic(1)

Conference on

CD-ROM [Purchase at Partner](#)

Print [Purchase at Partner](#)

Quick Links

[Search for Upcoming Conferences](#)

[Browse Call for Papers Deadlines](#)

[Organize a Conference](#)

Previous Titles

Informatics and Applications (ICIA),2013 Second International Conference on

Select All Results

-
- Live digital forensics: Windows XP vs Windows 7** 
- Fenu Gianni ; Fabrizio Solinas
Publication Year: 2013, Page(s):1 - 6
-  |  Abstract |  PDF (403 KB) |  HTML
-
- Smart identification of license plate details** 
- Charbel Fares
Publication Year: 2013, Page(s):7 - 11
-  |  Abstract |  PDF (573 KB) |  HTML
-
- Security analysis of blowfish algorithm** 
- Ashwak Alabaichi ; Faudziah Ahmad ; Ramlan Mahmod
Publication Year: 2013, Page(s):12 - 18
Cited by: [Papers \(2\)](#)
-  |  Abstract |  PDF (1277 KB) |  HTML
-
- Multiple layers security in protecting Arabic sensitive information using stenography and cryptographic algorithms** 
- Ahmad B. Elmadani
Publication Year: 2013, Page(s):19 - 23
-  |  Abstract |  PDF (583 KB) |  HTML
-
- Creating a program and research a cryptosystem on the basis of Cardan grille** 
- Irbulat Utepbergenov ; Janna Kuandykova ; Tamerlan Mussin ; Sholpan Sagyndykova
Publication Year: 2013, Page(s):24 - 29
-  |  Abstract |  PDF (563 KB) |  HTML
-
- Spatio-temporal dependency analysis for temporally-shifted Web Sensors** 
- Shun Hattori
Publication Year: 2013, Page(s):30 - 35
-  |  Abstract |  PDF (1504 KB) |  HTML
-
- Outlier-based initialisation of K-means in colour image** 

quantisation

Mariusz Frackiewicz ; Henryk Palus

Publication Year: 2013, Page(s):36 - 41

 |  Abstract |  PDF (3929 KB) |  HTML

Classification of liver disease diagnosis: A comparative study 

Sina Bahramirad ; Aida Mustapha ; Maryam Eshraghi

Publication Year: 2013, Page(s):42 - 46

Cited by: [Papers \(3\)](#)

 |  Abstract |  PDF (1414 KB) |  HTML

Approach to visualisation of evolving association rule models 

Martin Hlosta ; Michal Šebek ; Jaroslav Zendulka

Publication Year: 2013, Page(s):47 - 52

 |  Abstract |  PDF (527 KB) |  HTML

Development of an automatic extractor of medical term candidates with linguistic techniques for Spanish 

Walter Koza ; María José Ojeda ; Mirian Muñoz ; Sofía Koza ; Eduin Yepes

Publication Year: 2013, Page(s):53 - 58

 |  Abstract |  PDF (788 KB) |  HTML

Improving genetic process mining using Honey Bee algorithm 

Yahia Z. Seleem ; Marghny H. Mohamed ; Khaled F. Hussain

Publication Year: 2013, Page(s):59 - 65

 |  Abstract |  PDF (1081 KB) |  HTML

A comparative study of algorithms for recommending given names 

Marcos A. Domingues ; Everton A. Cherman ; Bruno M. Nogueira ; Merley S. Conrado ; Rafael G. Rossi ; Renan de Padua ; Ricardo M. Marcacini ; Vinícius M. A. Souza ; Gustavo E. A. P. A. Batista ; Solange O. Rczendc

Publication Year: 2013, Page(s):66 - 71

 |  Abstract |  PDF (241 KB) |  HTML

Using of cloud computing, clustering and document-oriented database for enterprise content management 

Juris Rats ; Gints Ernestsons

Enhancing key management of ZigBee network by steganography method 

Zavosh Abdollahzadeh Davani ; Azizah Abdul Manaf

Publication Year: 2013, Page(s):77 - 81

Evaluate the video conference transmission security in Skype and Google talk through firewall environment 

Safwan Mawlood Hussein ; Badr Abdullah Qassem

Publication Year: 2013, Page(s):82 - 86

Detecting backdoor using stepping stone detection approach 

Khalid Alminshid ; Mohd Nizam Omar

Publication Year: 2013, Page(s):87 - 92

Current cyber security threats and challenges in critical infrastructures protection 

Rafał Kozik ; Michał Choraś

Publication Year: 2013, Page(s):93 - 97

Cited by: [Papers \(1\)](#)

Towards a functional taxonomy of enterprise business intelligence mashups 

Sabbir Ahmed ; Umar Ruhi

Publication Year: 2013, Page(s):98 - 103

On PMIPv6-SIP inter-networking architecture for cost-effective mobility management support 

Myungseok Song ; Jongpil Jeong

Publication Year: 2013, Page(s):104 - 109

- On multicasting-based global mobility management in proxy mobile IPv6 networks**

Hagwon Jung ; Jongsun Park ; Jaeyoung Choi ; Jongpil Jeong
Publication Year: 2013, Page(s):110 - 115
Cited by: [Papers \(1\)](#)

[©](#) | [🔍](#) [▶](#) [Abstract](#) | [📄](#) [PDF \(659 KB\)](#) | [🌐](#) [HTML](#)
- Information and data management with links on business and swarm intelligence**

Milena Janakova
Publication Year: 2013, Page(s):1 - 6

[©](#) | [🔍](#) [▶](#) [Abstract](#) | [📄](#) [PDF \(228 KB\)](#) | [🌐](#) [HTML](#)
- Software engineering tools classification based on SWEBOK taxonomy and software profile**

Wanwisa Roongkaew ; Nakornthip Prompoon
Publication Year: 2013, Page(s):122 - 128

[©](#) | [🔍](#) [▶](#) [Abstract](#) | [📄](#) [PDF \(736 KB\)](#) | [🌐](#) [HTML](#)
- Tamper detection and recovery of medical image watermarking using modified LSB and Huffman compression**

Adiwijaya ; P. N. Faoziyah ; F. P. Permana ; T. A. B. Wirayuda ; U. N. Wisesty
Publication Year: 2013, Page(s):129 - 132
Cited by: [Papers \(1\)](#)

[©](#) | [🔍](#) [▶](#) [Abstract](#) | [📄](#) [PDF \(588 KB\)](#) | [🌐](#) [HTML](#)
- E-government services challenges and opportunities for developing countries: The case of Libya**

Alsanossi M Ahmed ; Robert Moreton ; Qasim H Mehdi ; Adel Elmaghraby
Publication Year: 2013, Page(s):133 - 137
Cited by: [Papers \(2\)](#)

[©](#) | [🔍](#) [▶](#) [Abstract](#) | [📄](#) [PDF \(808 KB\)](#) | [🌐](#) [HTML](#)
- A DSP embedded control system with people number counting for energy saving**

Wen-June Wang ; Hong-Gong Chou ; Chi-Hsien Chiu ; Yu-Ping Liao ; Pei-Jun Lee
Publication Year: 2013, Page(s):138 - 142

[©](#) | [🔍](#) [▶](#) [Abstract](#) | [📄](#) [PDF \(801 KB\)](#) | [🌐](#) [HTML](#)

-
- Group fingerprinting communication protocols for digital wholesale and retail in E-commerce** 
- Zhao Yong ; Zhang Aixin ; Lu Songnian
Publication Year: 2013, Page(s):143 - 146
Cited by: [Papers \(2\)](#)
-  |  [Abstract](#) |  [PDF \(230 KB\)](#) |  [HTML](#)
-
- A real time FPGA-based 3D content generation system for comfortable viewing experience** 
- Pei-Jun Lee ; Yi-Ming Chung ; Jun-Hui Huang
Publication Year: 2013, Page(s):147 - 150
-  |  [Abstract](#) |  [PDF \(371 KB\)](#) |  [HTML](#)
-
- New perspectives for modeling the pulse width modulation. Some application for audio systems** 
- Robinson G. Caputo ; Gustavo Figueiredo ; Mauricio Silveira
Publication Year: 2013, Page(s):151 - 154
Cited by: [Papers \(4\)](#)
-  |  [Abstract](#) |  [PDF \(349 KB\)](#) |  [HTML](#)
-
- A distributed data processing architecture for real time intelligent transport systems** 
- Krisjanis Nesenbergs ; Leo Selavo
Publication Year: 2013, Page(s):155 - 160
-  |  [Abstract](#) |  [PDF \(366 KB\)](#) |  [HTML](#)
-
- Model based analysis and formal verification of Weda architectural style** 
- Jitka Hübnerová
Publication Year: 2013, Page(s):161 - 166
-  |  [Abstract](#) |  [PDF \(153 KB\)](#) |  [HTML](#)
-
- A new theoretical approach for digital modulation used widely for systems with a very fast rise time** 
- Robinson G. Caputo ; Gustavo Figueiredo ; Mauricio Silveira
Publication Year: 2013, Page(s):167 - 171
-  |  [Abstract](#) |  [PDF \(284 KB\)](#) |  [HTML](#)
-
- A new theoretical modeling for the Nyquist pulses processing** 

used widely over communication channels for systems with high transmission rates

Robinson G. Caputo ; Gustavo V. Figueiredo ; Mauricio Silveira

Publication Year: 2013, Page(s):172 - 177

Cited by: Papers (2)

 |  Abstract |  PDF (306 KB) |  HTML

Innovative theoretical modeling for the pulse point level detection on A/D converters involving pulse position modulation 

Robinson G. Caputo ; Gustavo V. Figueiredo ; Mauricio Silveira

Publication Year: 2013, Page(s):178 - 184

Cited by: Papers (2)

 |  Abstract |  PDF (412 KB) |  HTML

An innovative numerical technique with high speed time processing for localize the zeros of a wide class of real polynomials. Direct applications for systems that demands the digital pulse position modulation 

Robinson G. Caputo ; Gustavo V. Figueiredo ; Mauricio Silveira

Publication Year: 2013, Page(s):185 - 190

Cited by: Papers (1)

 |  Abstract |  PDF (273 KB) |  HTML

Implementing an innovative theoretical proposal with optimization in the time of computational processing involving image vectorization techniques 

Christopher Alexander ; Gustavo Varella Figueiredo ; Robinson Gaudino Caputo ; Mauricio Silveira

Publication Year: 2013, Page(s):191 - 197

Cited by: Papers (1)

 |  Abstract |  PDF (558 KB) |  HTML

Human-interactive hardware-in-the-loop simulation framework for cyber-physical systems 

Min-Jo Kim ; Sungjoo Kang ; Won-Tae Kim ; In-Geol Chun

Publication Year: 2013, Page(s):198 - 202

 |  Abstract |  PDF (666 KB) |  HTML

Job scheduling for dynamic data replication strategy in heterogeneous federation data grid systems 

M. Zarina ; Fadhilah Ahmad ; Ahmad Nazari bin Mohd Rose ; M.

Integrating an e-learning model using IRT, Felder-Silverman and Neural Network approach 

Fatma Susilawati Mohamad ; Mohamad Mumtazimah ; Syed Abdullah Fadzli

Publication Year: 2013, Page(s):207 - 211

GramFuzz: Fuzzing testing of web browsers based on grammar analysis and structural mutation 

Tao Guo ; Puhan Zhang ; Xin Wang ; Qiang Wei

Publication Year: 2013, Page(s):212 - 215

Cited by: [Papers \(1\)](#)

A black-box testing tool for detecting SQL injection vulnerabilities 

Zoran Djuric

Publication Year: 2013, Page(s):216 - 221

Cited by: [Papers \(1\)](#)

Practical application of model predictive control to fractional thermal system 

Aymen Rhouma ; Badreddine Bouzouita ; Faouzi Bouani

Publication Year: 2013, Page(s):222 - 227

NSGA2PI, the hybrid algorithm for Radial Basis function networks 

Mansoureh Aghabeig ; Mehdi Ghatee

Publication Year: 2013, Page(s):228 - 233

Intelligent prediction of execution times 

Dirk Tetzlaff ; Sabine Glesner

Publication Year: 2013, Page(s):234 - 239

Cited by: [Papers \(1\)](#)

 |  [Abstract](#) |  [PDF \(1028 KB\)](#) |  [HTML](#)

An analysis of key factors affecting user acceptance of mobile payment 

Yu Tian ; Hao Dong

Publication Year: 2013, Page(s):240 - 246

 |  [Abstract](#) |  [PDF \(318 KB\)](#) |  [HTML](#)

The model of personalized intelligent information for budget hotel services 

Niran Chawla ; Montri Wiboonrat

Publication Year: 2013, Page(s):247 - 251

Cited by: [Papers \(2\)](#)

 |  [Abstract](#) |  [PDF \(1545 KB\)](#) |  [HTML](#)

Hand biometrics: Overview and user perception survey 

Rasha M. Al Eidan

Publication Year: 2013, Page(s):252 - 257

 |  [Abstract](#) |  [PDF \(510 KB\)](#) |  [HTML](#)

Modelling of distributed programming systems with using of property-preserving Petri net process algebras and P/T Petri net processes 

Ivo Martiník

Publication Year: 2013, Page(s):258 - 263

 |  [Abstract](#) |  [PDF \(601 KB\)](#) |  [HTML](#)

Applying transductive learning for automatic term extraction: The case of the ecology domain 

Merley S. Conrado ; Rafael G. Rossi ; Thiago A. S. Pardo ; Solange O. Rezende

Publication Year: 2013, Page(s):264 - 269

 |  [Abstract](#) |  [PDF \(183 KB\)](#) |  [HTML](#)

Attributes unmasked: Investigation of service aspects in subjective evaluation of wireless 3D multimedia 

Ivett Kulik ; Péter András Kara ; Tuan Anh Trinh ; László Bokor

Publication Year: 2013, Page(s):270 - 275

Cited by: [Papers \(2\)](#)

- Implementation of a real-time human movements classifier by using mobile equipment** 

Silvia Nunnari ; Flavio Cannavò

Publication Year: 2013, Page(s):276 - 281

- Mobile recommender systems: An overview of technologies and challenges** 

Nikolaos Polatidis ; Christos K. Georgiadis

Publication Year: 2013, Page(s):282 - 287

- Web document description based on ontologies** 

Martin Milička ; Radek Burget

Publication Year: 2013, Page(s):288 - 293

- A new distribution for service model with state dependent service rate** 

Silvia Maria Prado ; Francisco Louzada ; José Gilberto Rinaldi ; Benedito Galvão Benze

Publication Year: 2013, Page(s):294 - 299

- A formal specification language for modeling agent systems** 

Vinitha Hannah Subburaj ; Joseph E. Urban

Publication Year: 2013, Page(s):300 - 305

- Expansion of information system with NFC technology for visually impaired passengers** 

Michal Jerabek ; Jan Krcal

Publication Year: 2013, Page(s):306 - 310

Cited by: [Papers \(1\)](#)

- Bicriteria load balancing for online placement in** 

heterogeneous servers with totally-ordered upper bounds

Savio S. H. Tse

Publication Year: 2013, Page(s):311 - 316

 |  Abstract |  PDF (167 KB) |  HTML

Software design metric based analysis of dependency patterns 

Sinan Sarica ; Tolga Ovatman

Publication Year: 2013, Page(s):317 - 322

 |  Abstract |  PDF (214 KB) |  HTML

Language-independent information extraction based on formal concept analysis 

Marcin Mirończuk ; Dariusz Czerski ; Marcin Sydow ; Mieczysław A. Kłopotek

Publication Year: 2013, Page(s):323 - 329

 |  Abstract |  PDF (744 KB) |  HTML

Self embedding watermarking for digital images depending on edge energy 

A. Al-Tahan Al-Nu'aimi ; J. Zraqou ; W. Alkhadour

Publication Year: 2013, Page(s):330 - 333

Cited by: [Papers \(1\)](#)

 |  Abstract |  PDF (555 KB) |  HTML

The experience of developing intelligent energy management system: Case study 

Ahmad Al-daraiseh ; Eyas El-Qawasmeh

Publication Year: 2013, Page(s):334 - 340

 |  Abstract |  PDF (613 KB) |  HTML

The use of multimedia to reduce information overload on consumer in the online shopping environment 

Abhichata Chaisakdiyod

Publication Year: 2013, Page(s):341 - 346

 |  Abstract |  PDF (333 KB) |  HTML

Requirements based testing of software 

Tabinda Sarwar ; Wajiha Habib ; Fahim Arif

Publication Year: 2013, Page(s):347 - 352

 |  Abstract |  PDF (289 KB) |  HTML

IEEE Account

[Change Username/Password](#)

[Update Address](#)

Need Help?

US & Canada: +1 800 678 4333

Worldwide: +1 732 981 0060

[Contact & Support](#)

Purchase Details

[Payment Options](#)

[Order History](#)

[View Purchased Documents](#)

Profile Information

[Communications Preferences](#)

[Profession and Education](#)

[Technical Interests](#)

[About IEEE](#) [Xplore](#) [Contact Us](#) [Help](#) [Terms of Use](#) [Nondiscrimination Policy](#) [Sitemap](#) [Privacy & Opting Out of Cookies](#)

A not-for-profit organization, IEEE is the world's largest professional association for the advancement of technology.

© Copyright 2016 IEEE - All rights reserved. Use of this web site signifies your agreement to the terms and conditions.

BROWSE

MY SETTINGS

GET HELP

WHAT CAN I ACCESS?

Browse Conference Publications > Informatics and Applications ... ?

Tamper detection and recovery of medical image watermarking using modified LSB and Huffman compression

 Full Text
Sign-In or Purchase5
Author(s)Adiwijaya ; Telkom Univ., Bandung, Indonesia ; P. N. Faoziyah ; F. P. Permana ; T. A. B. Wirayuda
more authors

Abstract

Authors

References

Cited By

Keywords

Metrics

Similar

Medical image is an object which can help doctors to diagnose the patient. However, due to the rapid development of technology nowadays, mostly there are several parties that did some manipulation towards the medical image by using this technology. It can be harm for the patient. One of the concrete solutions to protect the authenticity of an image from the manipulation is by applying a watermarking. By inserting the watermark, the process to detecting the location of a manipulated medical image can be done by this system. Hence, the manipulated medical image can also be recovered until it similar with the original image by inserting a feature extraction such as the average intensity of the image blocks. This paper will discuss a scheme of reversible watermark using a modified LSB and Huffman compression to detecting and recovering the manipulated medical image. The testing results shows that this system is capable to detect the attack with an accuracy of up to 100% and can do the recovery with an accuracy of recovery rate up to 98% for some attacks.

Published in:

Informatics and Applications (ICIA),2013 Second International Conference on

Date of Conference:

23-25 Sept. 2013

Page(s):

129 - 132

Print ISBN:

978-1-4673-5255-0

INSPEC Accession Number:

13879497

Conference Location :

Lodz

DOI:

10.1109/ICoIA.2013.6650242

Publisher:

IEEE

IEEE Xplore

**Share your thoughts**

Sign up to preview upcoming features and provide input. Selected participants will receive US \$50.

REGISTER NOW



Personal Sign In | Create Account

IEEE Account

- » Change Username/Password
- » Update Address

Purchase Details

- » Payment Options
- » Order History
- » View Purchased Documents

Profile Information

- » Communications Preferences
- » Profession and Education
- » Technical Interests

Need Help?

- » US & Canada: +1 800 678 4333
- » Worldwide: +1 732 981 0060
- » Contact & Support

Tamper Detection and Recovery of Medical Image Watermarking using Modified LSB and Huffman Compression

Adiwijaya*, P. N. Faoziyah, F. P. Permana, T. A. B. Wirayuda, U.N. Wisesty
Telkom University
Jl. Telekomunikasi no.1 Bandung 40257, Indonesia
[*kang.adiwijaya@gmail.com](mailto:kang.adiwijaya@gmail.com)

Abstract— *Medical image is an object which can help doctors to diagnose the patient. However, due to the rapid development of technology nowadays, mostly there are several parties that did some manipulation towards the medical image by using this technology. It can be harm for the patient. One of the concrete solutions to protect the authenticity of an image from the manipulation is by applying a watermarking. By inserting the watermark, the process to detecting the location of a manipulated medical image can be done by this system. Hence, the manipulated medical image can also be recovered until it similar with the original image by inserting a feature extraction such as the average intensity of the image blocks. This paper will discuss a scheme of reversible watermark using a modified LSB and Huffman compression to detecting and recovering the manipulated medical image. The testing results shows that this system is capable to detect the attack with an accuracy of up to 100% and can do the recovery with an accuracy of recovery rate up to 98% for some attacks.*

Keywords— *tamper detection; image recover; watermarking; modified LSB; Huffman*

I. INTRODUCTION

Digital image has a lot of uses in life, one of them is in the field of medic. Medical image is a representation of digital image which is vulnerable. Medical image used as an object that useful to help in diagnose the patient. Some medical tools can be used to get this medical image. Ultrasound image or Ultrasonography (USG) is one of a medical tool that can capture the image representation of human organs.

To an accurate medical image, the authenticity of the medical image that produced can be very important because it will impact the outcome of disease diagnosis. However, its not easy to keep the authenticity of this medical image because the effort to manipulating the medical image can be done in many ways, one of them is with the help of software. In addition, beside the image manipulation duplication and recognition of copyright also commonly happen. This is because there is no copyright in digital image. Of course it may cause an error in diagnosing the patients and it will certainly very harmful. By that, the manipulation effort which has been done towards a certain medical image must be detected so the authenticity can be kept. Besides being able to detect any manipulation activities towards the medical image, it also needs to recover the medical images that has been manipulated so it similar

with the original image in order to enhance the accuracy of the patient diagnosis.

To protect the medical images, the method of digital image watermarking was performed. Digital image watermarking is a technique of insertion of certain information in the image in the digital image. This inserted information is called as watermark. That watermark can be text, image, audio, or even video[3].

To protect the image authenticity, the detection of manipulation and recovery towards the manipulated image is important to be applied. There are several studies that have been done before in this field of detection and recovery of the medical image manipulation, such as the one that been done by Zain[1] which uses modified LSB watermarking method based on the block. This method stores the average intensity of the image pixel blocks used to reconstruct the manipulated image. Then Liew[3] proposed a design of a reversible watermarking scheme based on the method from Zain. Liew divides the image into the ROI (Reign of Interest) and RONI (Reign of Non-Interest). The original LSB of the whole image pixels will be captured and compressed by Huffman compression before the watermarking is applied. The LSB from the compression results will be stored in the RONI image. This original LSB can be restored so the watermark can be reversible. In this paper, we proposed a watermarking scheme for detection and recovery of manipulation in the medical image based on the method from Zain[1] and Liew[3].

II. WATERMARKING SCHEME

A. Image Preparation

The medical images used are a grayscale ultrasound image with the size of 640x480 pixels and the format is bitmap with a color depth of 8bit. The images used are obtained from www.ultrasound-images.com. The division of ROI and RONI are firstly done so that the medical images have clear boundaries. ROI is the region used to process diagnose of a patient and RONI is the region which not being used. The division of ROI-RONI visualized as follows.




Figure 1. ROI and RONI Location

From the division of ROI-RONI region above, ROI region will be divided into blocks of 6x6 pixels. These blocks will be used as the place to insert the watermark information which previously we made the mapping block scheme first so that the insertion will be more orderly process. The mapping block scheme was illustrated as $A \rightarrow B \rightarrow C \rightarrow D \rightarrow \dots \rightarrow A$, where A-C was a block of 6x6 that made before. The purpose of the mapping illustration above is recovery information from the block B which placed in block C, and so on. A mapping scheme has done is similar with the one that Zain[1] used which is based on the following formula:

$$\vec{B} = [(k \times B) \bmod N_b] + 1 \quad (1)$$

where \vec{B} , B , $k \in [1, N_b]$, k is a prime number, and N_b is the total number of blocks in ROI.

B. Watermark Insertion in ROI

ROI is divided into blocks of 6x6 pixels, and each block is divided into 4 pieces of sub-blocks of 3x3 pixels. Then the number of block recovery for each blocks are found by using equation (1). K primes number used during the extraction should be the same as the insertion.

The average intensity values of each block are calculated (Avg_B) and the average intensity value for each sub-block are calculated (Avg_Bs). Then the watermark authentication v and p , also recovery watermark for each sub-block will be increased. The value of watermark v and p are calculated by the following equation:

$$v = \begin{cases} 0, & \text{if } Avg_Bs > Avg_B \\ 1, & \text{otherwise} \end{cases} \quad (2)$$

The watermark p (parity bit) is generated as:

$$p = \begin{cases} 1, & \text{if } Avg_Bs \text{ is odd} \\ 0, & \text{otherwise} \end{cases} \quad (3)$$

As for the value of recovery watermark is information of the sub-blocks average (Avg_Bs) from sub-blocks target. The watermark insertion scheme v , p , and r are as follows [4]:




Figure 2. Insertion in ROI Block

In the Figure 3, we provide a of flowchart the watermark insertion scheme.





Figure 3. Block Diagram of the Image Watermarking

C. Original Image LSB Insertion in RONI

The original LSB captured from each ROI pixels will be compressed by Huffman and stored in RONI region. Original LSB captured is a binary matrix with the size of 640x480. These matrices are encoded into decimal per 8 bit of capturing the LSB.



Series of original image LSB



11100101
8-bit (256 symbol)



229

Value which will be compressed (decimal)

Figure 4. Calculation LSB block values

These LSB block values are compressed using Huffman compression method and produce a compressed LSB

and Huffman dictionary. Since the capturing of this original LSB using a series of 8-bit, so the content of the encoding in the Huffman dictionary will be $2^8=256$. A compressed LSB using Huffman will be inserting in the RONI region as twice of LSB's bit.

Based on the test performed, the entire LSB from the Huffman compression is not enough to be inserted at 1 bit of RONI LSB. Therefore, the 2 bits LSB on RONI is used to enlarge the storage.

D. Manipulation Detection and Recovery

Firstly, the division of ROI and RONI were applied to the suspect image. It also the same with watermarking process, ROI is divided into blocks of 6x6 pixel and each block divided into 4 sub-blocks of 3x3 pixels. The detection process was done by checking the value of watermark v and p from a certain sub-block. Then a set LSB sub-block as 0 and calculate Avg_Bs and Avg_B to get v' and p' as shows in equation (2) and (3). If $v=v'$ and $p=p'$ for each sub-blocks, those blocks are a valid blocks. However, if one of v' and p' were not the same with v and p , then those blocks are detected as tampered block.

If the detection process is done, the next process is to do recovery towards the manipulation. Blocks which detected as tampered block will be recovered by taking 7 bits recovery (watermark) from each recovery block which has relation with each tampered block. Then the last is to set a value of 7 bits MSB for each sub-blocks on tampered block with 7 bits recovery r , meanwhile for the eighth bit will be set as 0.

E. Returning the Original Image LSB

The process of returning the original LSB on the image has done so that the watermark system which has been made is expected to become reversible. The original LSB stored in RONI will be returned after the detection and recovery of image process are done. The original LSB will be returned to each pixel even though there is no manipulation process has been applied to that certain pixel, if there is no manipulation process has been applied towards that certain pixel which its original LSB will be returned, so we hope the image's LSB can be returned to its original value as before the watermarking has been applied. Huffman's compressed bits which restored in RONI will be decompressed, and then its original LSB will be rebuild based on those decompression values.

It is possible there will be error in RONI region because both LSB are not restored while its original LSB were captured. However, all the pixels can be returned to its origins in ROI region.

III. TESTING RESULTS

A. Quality of Watermarked Image

The testing towards medical images had been done for 10 testing images. For this watermarking scheme produces

watermarked images with PSNR of 47 dB up to 48.6 dB. Meanwhile the error rate is around 34.5% up to 46.3%. This result shows that watermarked images have a high quality for its difference with the original image cannot be recognized.



Figure 5. Comparison of Original Image and Watermarked Image. (a) Original Image (b) Watermarked Image with PSNR 47.6789 dB

B. Watermark Extraction

This testing has purposes to know the image quality which produced by watermark extraction. Watermark will be extracted by returning all its original LSB which are restored in RONI. This process produces extracted image with PSNR around 54.2-56.4 db. It shows that there are several parts which cannot be returned in RONI region. It happens because there are 2 bits for each pixel which used to store the whole original image LSB in RONI region, so that there is are 2nd RONI LSB which cannot be returned to its original forms. Therefore, it will be better if we use a compression method that can compress 1 bit original image LSB and insert it to RONI region, so there will be no part in RONI region which is damage. The numbers compression comparison using Huffman compression method and Run Length Encoding (RLE) can be seen as follow.

TABLE 1. COMPARISON OF COMPRESSION METHOD

Compression Method	Bit after compressed	Ratiocompression
None	307200	1
RLE, RC threshold=15	404115	1.31548
RLE, RC threshold=7	379604	1.23569
RLE block 2x2, RC threshold=7	280749	0.91390
RLE block 3x3, RC threshold=7	232500	0.75684
Huffman block 2x2 (16 symbol)	209774	0.68286
Huffman block 4x1 (16 symbol)	166039	0.54049
Huffman block 8x1 (256 symbol)	134428	0.43759



There is no damage in ROI region itself, ROI is similar with original images. Therefore, this watermarking system called as fully reversible for ROI image region.

C. Manipulation Detection and Recovery

The attacks which have been done to testing this process was block modifications attacks, sharpening contrast, and increasing the brightness. Block modifications attacks can be detected with an accuracy of up to 100%. Meanwhile for others attacks also can be detected with an accuracy of up to 99%. For the block modifications attacks on manipulated images, the recovery rate is up to 98%. And for the rest of attacks, the recovery rate is around 4.5%-60.5%. Recovery cannot be done perfectly (100%) due to the limitation of watermark storage blocks which stored in ROI. In this paper, two ROI regions are used. Upper ROI and lower ROI. This turn the watermark information storage region to be very limited, and the cause for performing a huge manipulation towards one of ROI region is the manipulated blocks of mapping blocks will also be damage. If it happens, then recovery process will not produce a perfect result.

From the attacks, it can be conclude that the bigger region of block manipulation, it will be followed by the worse recovery quality and it can be seen from the recovery rate. One of the visualization examples of manipulated image with the block size of 5%, 20%, and 40% and its recovery can be seen as follow.

TABLE 2. DETECTION AND MANIPULATION OF BLOCK MODIFICATIONS ATTACKS RESULT

Attacks Percentage	Visualization block attacks	Recovery results
5%		
20%		
40%		

IV. CONCLUSIONS

This watermarking scheme shows a good detection performance. Meanwhile, for the process of performance recovery shows by the block manipulation attacks. This watermarking system is fully reversible for the part of ROI image. We provide the testing results as follows. The watermark system is capable to detect the attack with an accuracy of up to 100% and can do the recovery with an accuracy of recovery rate up to 98% for some attacks.

REFERENCES

- [1] Jasni M. Zain, Abdul R.M. Fauzi, "Medical Image Watermarking with Tamper Detection and Recovery", in *Proc. 28th Annual International Conference of the IEEE EMBS*, New York, USA, Sept. 2006, pp. 3270-3273, doi: 10.1109/IEMBS.2006.260767.
- [2] D. Anand and U. Niranjana, "Watermarking Medical Images with Patient Information," in *IEEE/EMBS Conference*, 1998, pp. 703-706.
- [3] Liew, Siau-Chuin. et. al. "Reversible Medical Image Watermarking For Tamper Detection And Recovery With Run Length Encoding Compression". *World Academy of Science, Engineering and Technology* 72.2010, pp. 799-803.
- [4] Tjokorda Agung B.W., Adiwijaya, Febri Puguh Permana, Medical Image Watermarking with Tamper Detection and Recovery Using Reversible Watermarking with LSB Modification and Run Length Encoding (RLE) Compression, *COMNETSAT 2012* pp. 167-171.